



Metal Cut Off Saw 355mm - Instructions for Use

HireKING

SAFETY FIRST

If you are collecting the equipment for someone else, please make sure this sheet is given to the equipment user to read. This sheet should be given to the site supervisor if the equipment is being hired for commercial use so that the information is available to all users. Before starting any job, be sure to spend a few minutes planning and understanding the hazards and risks of the activity and determining how you will control them to prevent injury or damage.

<p>Note: This safety and instruction sheet is on the main machine only, you will be issued with additional sheets for the attachments you have.</p>	<p>REQUIRED SAFETY EQUIPMENT</p>  <p>Hand Protection Foot Protection Eye Protection</p>
	<p>Starting Procedure</p> <ol style="list-style-type: none">1. Install the saw on a flat level surface2. Ensure the trigger switch is in the off position3. Plug saw into 240V power supply4. If an extension cord is required ensure it is a heavy-duty lead and a maximum of 20 metres5. If required fit a cutting blade of the correct dimensions
<p>Pre-Start Checks and Safety</p> <ul style="list-style-type: none">• Ensure the machine has a current electrical tag• Never use saw in damp or wet conditions• Never use saw with safety covers removed• Do not use saw for excessive periods of time as this can overload and burn out the motor• Always let the weight of the saw do the cutting (excessive downward force will cause the motor to burn out)• Keep unauthorised people away from the work area (especially children)• Refrain from using the saw in the vicinity of inflammables liable to cause combustion• Ensure you secure your foothold and maintain proper posture• Stop operation if any abnormalities are noticed• Always keep clear of moving parts• Disconnect power when job is complete If repairs are required, they must be performed by an authorised repairer• Do not use the saw for uses other than it was designed for• Always unplug the saw before changing blades	<p>When Operating</p> <ol style="list-style-type: none">1. Lift the material to be cut onto the cutting table2. Ensure the material is securely fastened with the clamping vice in the position you want it to be cut3. Squeeze the on/off switch to on4. Lower the cutting wheel by holding the main handle until it contacts the material to be cut5. Continue gently lowering the handle as the saw cuts through the steel6. When cutting is completed raise the handle and release the trigger on/off switch7. Let the blade wind down in its own time (never force it to stop rotating) <p>Cutting larger items of steel and angles:</p> <ol style="list-style-type: none">8. Use the hexagon wrench/key to adjust the clamping vice to suit the application <p>Stopping and After Use</p> <ol style="list-style-type: none">1. Disconnect the power supply from the saw2. Clean the saw after use and store away appropriately
<p>CONTACT US</p> <p>If you are having any difficulties with this piece of machinery/equipment, please contact us immediately on 0800 30 30 20 follow the options to General Hire.</p>	